

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification : Not classified		A2	(11) International Publication Number: WO 00/41478 (43) International Publication Date: 20 July 2000 (20.07.00)
(21) International Application Number: PCT/EP00/02917 (22) International Filing Date: 3 April 2000 (03.04.00) (30) Priority Data: 99201034.8 1 April 1999 (01.04.99) EP		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Upon the request of the applicant, before the expiration of the time limit referred to in Article 21(2)(a). Without international search report and to be republished upon receipt of that report. Without classification; title and abstract not checked by the International Searching Authority.</i>	
(71) Applicant (for all designated States except US): DSM N.V. [NL/NL]; Het Overloon 1, NL-6411 TE Heerlen (NL). (72) Inventors; and (75) Inventors/Applicants (for US only): BOOIJ, Johannes [NL/NL]; Bos en Duinplein 10, NL-2061 VS Bloemendaal (NL). LEFFERTS, Ageeth, Geertruida [NL/NL]; Henri 't Sasplein 10, NL-4535 RG Breda (NL). (74) Agents: VISSER-LUIRINK, Gesina et al.; DSM N.V., DSM Patents & Trademarks, Office Delft (994-0760), P.O. Box 1, NL-2600 MA Delft (NL).			
(54) Title: AGGLOMERATES BY CRYSTALLISATION (57) Abstract <p>The present invention describes novel agglomerates in crystalline form of β-lactam compounds. Furthermore, a process for the preparation of said agglomerates, wherein a solution or suspension of at least one β-lactam compound in a solvent is mixed with one or more anti-solvents has been described.</p>			